EUSTIS ENGINEERING COMPANY, INC.

LOG OF BORING AND TEST RESULTS

JOE BROWN MEMORIAL PARK, NEW POOL FACILITY
NEW ORLEANS, LOUISIANA

Ground Elev.: **Datum:** **Gr. Water Depth:** **Job No.: 13697** **Date Drilled: 9/23/95** **Boring: 1** **Refer To "Legends & Notes"**

Scale In Feet	PP	SPT	SPLR	Symbol	Visual Classification	USC	Sample Number	Depth In Feet	Water Content Percent	Density Dry	Density Wet	Shear Tests Type	Shear Tests Ø	Shear Tests C	Atterberg Limits LL	Atterberg Limits PL	Atterberg Limits PI		Other Tests
					Medium stiff gray silty clay w/grass roots	ML	1	0-1											
					Compact tan & gray clayey silt w/roots & clay layers		2	2-3	23	93	114	OB	–	1335					
5	1.00				Stiff gray & tan clay w/clayey silt pockets	CH	3	5-6											
10	0.25				Very soft gray clay w/clayey silt w/lenses & layers	CH	4	8-9	59	66	105	OB	–	190					
	0.25				Very soft gray silty clay w/clay layers	CL	5	11-12											
	0.25				Very soft gray clay w/clayey silt lenses & layers	CH	6	12-13	39	82	115	UC	–	155					
15		7			Loose gray fine sand	SP	7	14-15											
		9					8	17-18											
20		4			Soft gray silty clay	CL	9	20-21											
25	0.40				Very soft gray clay w/sand lenses	CH	10	23-24	55	68	105	OB	–	175					
30	0.25						11	28-29											
	0.25				w/clayey sand layers		12	31-32											
35		23			Medium dense gray clayey sand	SC	13	33-34											
		26					14	36-37											
40		9			Stiff gray & tan clay w/shells	CH	15	39-40											
45	2.00				Stiff greenish-gray & tan clay w/fissures	CH	16	43-44	40	81	113	OB	–	1105					
50	1.75				Stiff gray & tan clay	CH	17	48-49											

EUSTIS ENGINEERING COMPANY, INC.

LOG OF BORING AND TEST RESULTS

JOE BROWN MEMORIAL PARK, NEW POOL FACILITY
NEW ORLEANS, LOUISIANA

Ground Elev.: **Datum:** **Gr. Water Depth:** **Job No.: 13697** **Date Drilled: 9/23/95** **Boring: 1** **Refer To "Legends & Notes"**

Scale In Feet	PP	SPT	SPLR	Symbol	Visual Classification	USC	Sample Number	Depth In Feet	Water Content Percent	Density Dry	Density Wet	Shear Tests Type	Shear Tests Ø	Shear Tests C	Atterberg Limits LL	Atterberg Limits PL	Atterberg Limits PI		Other Tests
					Stiff gray & tan clay	CH													
55	1.60				w/clayey silt pockets		18	53-54	47	74	110	UC	--	410					
60	0.80				Medium stiff gray clay w/clayey silt pockets & fissures	CH	19	58-59											
65																			
70																			
75																			
80																			
85																			
90																			
95																			
100																			