






# BORING LOG

**BORING NO.:** B-1  
**PROJECT:** Village De L'Est  
**PROJECT LOCATION:** New Orleans, LA  
**BORING LOCATION:** N561651.84 E3725926.57  
**DATE DRILLED:** 6/25/2015  
**WATER LEVEL:** Not Encountered  
**GEOL/ENGR:** SE/SA

**PROJECT NO.:** APS1506-G027  
**METHOD:** HAND AUGER  
**BORING ELEVATION:** Not Surveyed  
**DATE COMPLETED:** 06/25/2015  
**WATER LEVEL DATE:** 06/25/2015  
**DRILLER:** VG

DEPTH (FEET)	SAMPLE	Moisture Content (%)	LL	PI	Symbol	MATERIAL CLASSIFICATION
						6.5 Inches Thick Concrete Pavement
1						Gray Clayey Sand (SC); Possible Base Material
2		51				Gray Clayey Silt (ML) with decayed wood and roots @1,5-2.5 : Organics = 8.0%
3						Gray Fat Clay (CH)
4		57	50	13		
5						Gray Lean Clay (CL) with silt lenses traces of Organics
6		36	42	18		
7						Boring terminated @6.5 feet Boring backfilled cuttings and sealed with asphalt cold patch
8						
9						
10						

**COMMENTS:**

-  Rock Core
-  Auger Cuttings

## Strasbourg PI