

# BORING LOG

**BORING NO.:** B-5  
**PROJECT:** Village De L'Est  
**PROJECT LOCATION:** New Orleans, LA  
**BORING LOCATION:** N562687.51 E3725375.16  
**DATE DRILLED:** 6/25/2015  
**WATER LEVEL:** Not Encountered  
**GEOL/ENGR:** SE/SA

**PROJECT NO.:** APS1506-G027  
**METHOD:** HAND AUGER  
**BORING ELEVATION:** Not Surveyed  
**DATE COMPLETED:** 06/25/2015  
**WATER LEVEL DATE:** 06/25/2015  
**DRILLER:** VG

DEPTH (FEET)	SAMPLE	Moisture Content (%)	LL	PI	Symbol	MATERIAL CLASSIFICATION
	[Rock Core]				[Concrete]	5.2 Inches thick Concrete Pavement
1					[Diagonal Hatching]	Gray Clayey Sand (SC), Possible Base Material
2		422	419	265	[Wavy Pattern]	Brown Organic Clay (OH) with decayed wood and roots @ 1.93'-2.43' : Organics = 72.2 %
3					[Wavy Pattern]	Brown Organic Silty Clay (OH) with traces of wood @ 2.43'-4.43' : Organics = 35.1 %
4		223	490	308	[Wavy Pattern]	
5					[Wavy Pattern]	Black Organic Clay (OH)
6		342			[Wavy Pattern]	
7						Boring terminated @ 6.4 feet Boring back filled with cuttings upon completion
8						
9						
10						

**COMMENTS:**

- Rock Core
- Auger Cuttings

## Savoie Ct.