

BORING LOG

BORING NO.: R3-P23 SIERRA MADRE ST.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER/ROTARY WASH DRILLING

PROJECT NO.: B12-084
DATE DRILLED: 01/15/13
DATE COMPLETED: 01/15/13
WATER LEVEL: 8 ft
WATER LEVEL DATE: 01/15/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
									5.5" Concrete
			0.22	66	67				Very Soft, Gray Fat CLAY with silt pockets (CH)
				32		50	29		---gray, with silt pockets
5				61					---gray
			(1)	24					Gray SANDY SILT (ML)
		12 b/ft ^{5/5/7}		28					Medium, Gray fine SAND with silt (SP-SM)
10	▽								Bottom @ 10' (1) 56.9% Passing #200 sieve
15									
20									

COMMENTS:

SHELBY TUBE

SPLIT SPOON