

BORING LOG

BORING NO.: R4-P33 SIERRA MADRE ST.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER/ROTARY WASH DRILLING

PROJECT NO.: B12-084
DATE DRILLED: 01/16/13
DATE COMPLETED: 01/16/13
WATER LEVEL: 8 ft
WATER LEVEL DATE: 01/16/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
									6" Concrete
				32		53	32		Gray Fat CLAY with silt pockets (CH)
			0.22	42	75				---very soft, gray, with trace of organics
5				53		65	43		---gray, with large silt pockets
				60					---gray, with silt pockets
	▽								Loose, Gray SILTY SAND with trace of clay (SM)
10	X	10 b/ft ^{4/5/5}		30					Bottom @ 10'
15									
20									

COMMENTS:

SHELBY TUBE
 SPLIT SPOON