

BORING LOG

BORING NO.: R4-P35 SIERRA MADRE ST.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER/ROTARY WASH DRILLING

PROJECT NO.: B12-084
DATE DRILLED: 01/16/13
DATE COMPLETED: 01/16/13
WATER LEVEL: 8 ft
WATER LEVEL DATE: 01/16/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
									5" Concrete
				28		48	26		Gray Lean CLAY with silt pockets and organics (CL)
			0.34	30	85				---soft, gray
5				63		102	69		Gray Fat CLAY with silt pockets and organics (CH)
				60					---gray, with silt pockets and organics
		4 b/ft ^{2/2/2}		37					Soft, Gray Lean CLAY with sand pockets (CL)
10	▽								Bottom @ 10'
15									
20									

COMMENTS:

SHELBY TUBE

SPLIT SPOON