

BORING LOG

BORING NO.: R5-P52 SIERRA MADRE ST.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER/ROTARY WASH DRILLING

PROJECT NO.: B12-084
DATE DRILLED: 01/21/13
DATE COMPLETED: 01/21/13
WATER LEVEL: NE
WATER LEVEL DATE: 01/21/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
								6" Concrete
		0.94	33	91				Medium, Gray and Brown Fat CLAY with trace of organics and silt (CH)
			42		62	42		---with silt pockets
5			34					
			33		48	26		Gray and Brown Lean CLAY with silt pockets (CL)
			38					Gray Fat CLAY (CH)
10								Bottom @ 10'
15								
20								

COMMENTS: NE : NOT ENCOUNTERED

SHELBY TUBE