

BORING LOG

BORING NO.: R3-P27 SCHINDLER DR.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER/ROTARY WASH DRILLING

PROJECT NO.: B12-084
DATE DRILLED: 01/15/13
DATE COMPLETED: 01/15/13
WATER LEVEL: 8 ft
WATER LEVEL DATE: 01/15/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
									5" Concrete
			0.22	58	63				Very Soft, Gray Fat CLAY with organic pockets (CH)
5				70		111	86		-- with organic pockets
			(1)	37					Gray SILT with fine sand and trace clay (ML)
		10 b/ft ^{5/5/5}		28					Loose, Gray fine SAND with silt (SP-SM)
10	▽								Bottom @ 10' (1) 89.5% Passing #200 sieve
15									
20									

COMMENTS:

SHELBY TUBE
 SPLIT SPOON