

BORING LOG

BORING NO.: R5-P58 SCHINDLER DR.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER/ROTARY WASH DRILLING

PROJECT NO.: B12-084
DATE DRILLED: 01/22/13
DATE COMPLETED: 01/22/13
WATER LEVEL: 8 ft
WATER LEVEL DATE: 01/22/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
								3" Concrete
		0.84	37	84				Medium, Gray Fat CLAY (CH)
			30		60	37		
5			31					
			33		39	15		Gray and Brown Lean CLAY (CL)
			36					---gray, with large clay pockets
10								Bottom @ 10'

COMMENTS:

■ SHELBY TUBE