


BORING LOG

BORING NO.: R6-P65 GOOD DR.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER/ROTARY WASH DRILLING

PROJECT NO.: B12-084
DATE DRILLED: 01/23/13
DATE COMPLETED: 01/23/13
WATER LEVEL: 8 ft
WATER LEVEL DATE: 01/23/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
0									5" Concrete
0 - 5			0.43	40	74	72	45		Gray and Brown Fat CLAY (CH) ---soft
5 - 10				49		85	58		---gray, with organic pockets
10		7 b/ft ^{2/3/4}		30					Loose, Gray Silty SAND (SM)
10 - 20									Bottom @ 10'

COMMENTS:

 SHELBY TUBE

 SPLIT SPOON