








BORING LOG


BORING NO.: R9-P100 PRENTISS AV.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER

PROJECT NO.: B12-084
DATE DRILLED: 08/01/13
DATE COMPLETED: 08/01/13
WATER LEVEL: NE
WATER LEVEL DATE: 08/01/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
0 - 0.5		7b/ft ^{40/3/4}		19					6" of Asphalt
0.5 - 3.0									Loose, Limestone mixed with clay and organics (GP)
3.0 - 10.0			0.38	55	63	102	73		Soft, Gray Fat CLAY with organic pockets (CH)
5.0				59					
8.5				85		126	91		
10.0				65					
10.0 - 20.0									Bottom at 10 Feet

COMMENTS: NE: NONE ENCOUNTERED

 SPLIT SPOON

 SHELBY TUBE