

BORING LOG

BORING NO.: R10-P113 PRENTISS AVE.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER

PROJECT NO.: B12-084
DATE DRILLED: 08/07/13
DATE COMPLETED: 08/07/13
WATER LEVEL: 8 ft
WATER LEVEL DATE: 08/07/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
0 - 10	SHELBY TUBE			41		62	36		Gray Fat CLAY (CH) * -- soft, gray and dark gray with organics -- with organic pockets
10 - 10.5	SPLIT SPOON	6b/ft ^{3/15}	0.43	88	54				Loose, Gray Silty SAND with clay pockets (SM)
10.5 - 20				53		94	67		Bottom at 10 Feet

COMMENTS: * Pavement thickness Not Recorded but assumed based on R10-P111.

SHELBY TUBE SPLIT SPOON