

BORING LOG

BORING NO.: R1-P2 WARREN DR.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER/ROTARY WASH DRILLING

PROJECT NO.: B12-084
DATE DRILLED: 01/03/13
DATE COMPLETED: 01/03/13
WATER LEVEL: 8 ft
WATER LEVEL DATE: 01/03/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
0 - 1	Split Spoon	4 b/ft ^{1/2/2}		35		62	38	1" Asphalt 8" Concrete	Gray and Brown Fat CLAY (CH)
1 - 5	Shelby Tube		0.55	40	81			---medium, gray and brown, with silt pockets	
5 - 6	Shelby Tube			29		33	12	Alternating layers of Gray and Tan SILT (ML), SILTY SAND (SM) and Fat CLAY (CH)	
6 - 8	Shelby Tube	8 b/ft ^{3/4/4}		24				Gray SILTY SAND (SM)	
8 - 10	Shelby Tube	16 b/ft ^{2/9/7}		29				---gray	
10 - 20									Bottom @ 10'

COMMENTS:

 SPLIT SPOON  SHELBY TUBE