



BORING LOG

BORING NO.: R1-P5 WARREN DR.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER/ROTARY WASH DRILLING

PROJECT NO.: B12-084
DATE DRILLED: 01/03/13
DATE COMPLETED: 01/03/13
WATER LEVEL: 8 ft
WATER LEVEL DATE: 01/03/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
0 - 0.5								6" Asphalt	
0.5 - 10			0.67	27				Mixture of Fat CLAY (CH)	
10 - 10.5		11 b/ft ^{4/5/6}		39	83	70	45	---medium, gray and brown	
10.5 - 11				41				---gray and brown	
11 - 11.5				52		76	52	---gray and brown, with fall-in	
11.5 - 10				26				Gray SILTY SAND with trace of clay (SM)	
10 - 20								Bottom @ 10'	

COMMENTS:

-  AUGER
-  SHELBY TUBE
-  SPLIT SPOON