


BORING LOG

BORING NO.: R1-P7 WARREN DR.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER/ROTARY WASH DRILLING

PROJECT NO.: B12-084
DATE DRILLED: 01/04/13
DATE COMPLETED: 01/04/13
WATER LEVEL: 8 ft
WATER LEVEL DATE: 01/04/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
			0.51	43	80			1" Asphalt	
								5" Concrete	
								Medium, Gray and Brown Fat CLAY with silt pockets (CH)	
				52		84	56	---gray	
5				61				---gray	
			(1)	27				Gray fine Silty SAND (SM)	
				30				---gray, with silt	
10		22 b/ft ^{6/11/11}							
									Bottom @ 10'
									(1) 13.6% Passing #200 sieve

COMMENTS:

 SHELBY TUBE

 SPLIT SPOON