

BORING LOG

BORING NO.: R2-P21 WARREN DR.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER/ROTARY WASH DRILLING

PROJECT NO.: B12-084
DATE DRILLED: 01/11/13
DATE COMPLETED: 01/11/13
WATER LEVEL: 8 ft
WATER LEVEL DATE: 01/11/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
0							1" Asphalt	
0.5							5.5" Concrete	
0.5 - 5.5		0.32	34	89			Soft, Brown and Gray Lean CLAY (CL)	
5.5 - 6.2			32		62	37	Gray and Brown Fat CLAY with silt pockets (CH)	
6.2 - 4.5			45				---gray and brown	
4.5 - 5.9			59		83	56	---gray	
5.9 - 10			30				Gray SANDY SILT with clay lenses (ML)	
10 - 20							Bottom @ 10'	

COMMENTS:

■ SHELBY TUBE