

BORING LOG

BORING NO.: R14-P163 WATERFORD BV.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER

PROJECT NO.: B12-084
DATE DRILLED: 12/04/13
DATE COMPLETED: 12/04/13
WATER LEVEL: 6 ft
WATER LEVEL DATE: 12/04/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
			1.04	27	94	37	12		5" of Concrete Stiff, Gray Lean CLAY with sand (CL)
				28					
5				34		52	28		Gray Fat CLAY with silt and sand (CH)
				34					Gray Clayey SILT with clay pockets (ML)
				43					Very Soft, Gray Lean CLAY with sand (CL)
10	Ob/ft	WOHWOHWOH							Bottom at 10 Feet
15									
20									

COMMENTS:

SHELBY TUBE
 SPLIT SPOON