

# BORING LOG

**BORING NO.:** R15-P165 WINCHESTER PARK DR.  
**PROJECT:** READ BLVD. IMPROVEMENTS  
**PROJECT LOCATION:** NEW ORLEANS, LA  
**BORING LOCATION:** SEE BORING LOCATION PLAN  
**BORING ELEVATION:** EXISTING GRADE  
**GEOL/ENGR:** RM  
**METHOD:** AUGER

**PROJECT NO.:** B12-084  
**DATE DRILLED:** 12/04/13  
**DATE COMPLETED:** 12/04/13  
**WATER LEVEL:** 6 ft  
**WATER LEVEL DATE:** 12/04/13  
**LOGGED BY:** WW  
**DRILLER:** DT

DEPTH (feet)	SAMPLE	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
			12				6" of Concrete	
							Tan Fine SAND with silt (SP-SM)	
			44		66	43	Gray Fat CLAY with trace organics (CH)	
5		0.45	58	70			-- soft, with silt pockets	
	▽						Gray Lean CLAY with sand pockets (CL)	
			28		45	27		
			37					
10							Bottom at 10 Feet	
15								
20								

**COMMENTS:**

█ SHELBY TUBE