

BORING LOG

BORING NO.: R15-P166 WINCHESTER PARK DR.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER

PROJECT NO.: B12-084
DATE DRILLED: 12/04/13
DATE COMPLETED: 12/04/13
WATER LEVEL: 6 ft
WATER LEVEL DATE: 12/04/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
							▒	6" of Concrete
		(1)	13				▒	Tan and Gray Fine SAND with silt (SP-SM)
							▒	Medium, Gray Sandy SILT (ML)
		0.53 (2)	31	85			▒	Gray Fat CLAY with sand pockets (CH)
5			68		58	34	▒	Gray Silty SAND with clay pockets (SM)
			35				▒	
			36				▒	
10							▒	Bottom at 10 Feet
								(1) % Passing #200 = 8.9% (2) UU Triaxial Test at 1.0 psi confining pressure
15								
20								

COMMENTS:

█ SHELBY TUBE