






BORING LOG

BORING NO.: R15-P168 WINCHESTER PARK DR.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER

PROJECT NO.: B12-084
DATE DRILLED: 12/04/13
DATE COMPLETED: 12/04/13
WATER LEVEL: 6 ft
WATER LEVEL DATE: 12/04/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
		(1)	7					6" of Concrete
								Tan Fine SAND with silt (SP-SM)
		0.33	59	67				Soft, Gray and Black Lean CLAY with sand and organics (CL)
5			58		44	13		Gray and Brown Organic SILT with clay and sand (OL)
			39					Gray Fat CLAY with silt and sand pockets (CH)
10			74					Bottom at 10 Feet
								(1) % Passing #200 = 3.6%
15								
20								

COMMENTS:

 SHELBY TUBE