

BORING LOG

BORING NO.: R15-P175 LOUIS PRIMA DR. EAST
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER

PROJECT NO.: B12-084
DATE DRILLED: 12/05/13
DATE COMPLETED: 12/05/13
WATER LEVEL: 7 ft
WATER LEVEL DATE: 12/05/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
								6" of Concrete
		(1)	10					Tan Fine SAND with silt (SP-SM)
			30					Gray Lean CLAY with sand pockets and shells (CL)
5		0.11	24	95	27	7		Very Soft, Gray Sandy Silty CLAY (CL-ML)
			33					Gray Clayey SILT with sand pockets (ML)
			35					Gray Silty SAND with clay lenses (SM)
10								Bottom at 10 Feet
								(1) % Passing #200 = 6.5%
15								
20								

COMMENTS:

■ SHELBY TUBE