

BORING LOG

BORING NO.: R17-P185 EASTOVER DR.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER

PROJECT NO.: B12-084
DATE DRILLED: 12/06/13
DATE COMPLETED: 12/06/13
WATER LEVEL: 6 ft
WATER LEVEL DATE: 12/06/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Moisture Content (%)	LL	PI	Symbol	MATERIAL CLASSIFICATION
							6" of Concrete
			17				Tan Fine SAND with trace silt (SP-SM)
		4b/ft ^{2/2/2}	24 ⁽¹⁾				-- very loose, gray
							Loose, Gray Fine SAND with silt and clay pockets (SM)
5		7b/ft ^{2/3/4}	26				
							Gray Fat CLAY with silt (CH)
			43	68	43		
			51				-- with silty sand pockets
10							Bottom at 10 Feet
							(1) % Passing #200 = 7.5%
15							
20							

COMMENTS:

SHELBY TUBE

SPLIT SPOON