

BORING LOG

BORING NO.: R17-P195 EASTOVER DR.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER

PROJECT NO.: B12-084
DATE DRILLED: 12/09/13
DATE COMPLETED: 12/09/13
WATER LEVEL: 7 ft
WATER LEVEL DATE: 12/09/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
				9					6" of Concrete
				14					Tan Fine SAND with trace silt (SP-SM)
		7b/ft ^{2/3/4}	(1)						Loose, Gray Silty SAND (SM)
5		6b/ft ^{3/3/3}		22					-- loose, with organics
			0.38	38	82	46	23		Soft, Gray Sandy Lean CLAY with silt and organics (CL)
				70					Gray Fat CLAY with silt pockets (CH)
10									Bottom at 10 Feet
									(1) % Passing #200 = 12.9%
15									
20									

COMMENTS:

SHELBY TUBE

SPLIT SPOON