

# BORING LOG

**BORING NO.:** R7-P71 DWYER RD.  
**PROJECT:** READ BLVD. IMPROVEMENTS  
**PROJECT LOCATION:** NEW ORLEANS, LA  
**BORING LOCATION:** SEE BORING LOCATION PLAN  
**BORING ELEVATION:** EXISTING GRADE  
**GEOL/ENGR:** RM  
**METHOD:** AUGER/ROTARY WASH DRILLING

**PROJECT NO.:** B12-084  
**DATE DRILLED:** 01/23/13  
**DATE COMPLETED:** 01/23/13  
**WATER LEVEL:** 7 ft  
**WATER LEVEL DATE:** 01/23/13  
**LOGGED BY:** WW  
**DRILLER:** DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
0 - 0.5	Split Spoon	28 b/ft <sup>30/20/8</sup>		16				8" Concrete	
0.5 - 2.5	Shelby Tube							Firm, Gray SILTY SAND (SM) with gravel (Fill)	
2.5 - 3.5	Shelby Tube		0.39	31	81	42	22	Soft, Gray Lean CLAY with organic pockets (CL)	
3.5 - 5.5	Shelby Tube			42				Gray Fat CLAY with silt and organic pockets (CH)	
5.5 - 7.5	Shelby Tube			38		56	36	---with silty sand pockets	
7.5 - 10.0	Shelby Tube	11 b/ft <sup>5/5/6</sup>		29				Firm, Gray SILTY SAND (SM)	
10.0 - 20.0	Shelby Tube							Bottom @ 10'	

**COMMENTS:**

 SPLIT SPOON     
  SHELBY TUBE