

BORING LOG

BORING NO.: R2-P19A SPRINGWOOD ST.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER/ROTARY WASH DRILLING

PROJECT NO.: B12-084
DATE DRILLED: 01/11/13
DATE COMPLETED: 01/11/13
WATER LEVEL: 8 ft
WATER LEVEL DATE: 01/11/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
									2" Asphalt, 4" Concrete
			0.43	46	75				Soft, Gray Fat CLAY (CH)
				44		71	47		-- with sandy silt pockets
5				32					-- with large organic pockets
				55		74	51		-- with large organic pockets
	▽								Loose, Gray SAND with silt (SP)
10	X	9 b/ft ^{4/6/3}		25					Bottom @ 10'
15									
20									

COMMENTS:

SHELBY TUBE
 SPLIT SPOON