

BORING LOG

BORING NO.: R13-P150 WEST ADAMS CT.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER

PROJECT NO.: B12-084
DATE DRILLED: 08/15/13
DATE COMPLETED: 08/15/13
WATER LEVEL: 9 ft
WATER LEVEL DATE: 08/15/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
	X	10b/ft ^{67/3}		15				[Symbol]	7" of Concrete
								[Symbol]	4" of Sand base
								[Symbol]	Loose, Gray and Tan Fine Silty SAND (SM)
			0.68	42	80	84	56	[Symbol]	Medium, Gray and Brown Fat CLAY (CH) -- with silt pockets, jointed and slickensided
5				50		181	122	[Symbol]	-- with organic pockets
				118				[Symbol]	
				67				[Symbol]	-- gray
10								[Symbol]	Bottom at 10 Feet
15									
20									

COMMENTS:

SPLIT SPOON
 SHELBY TUBE