

BORING LOG

BORING NO.: R14-P154 CHAUCER ST.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER

PROJECT NO.: B12-084
DATE DRILLED: 08/15/13
DATE COMPLETED: 08/15/13
WATER LEVEL: 8 ft
WATER LEVEL DATE: 08/15/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
	X	5b/ft ^{4/4/1}		12				[Symbol]	6" of Concrete
	X							[Symbol]	8" of Sand base
	X							[Symbol]	Loose, Tan Fine SAND (SP)
	■		0.24	50	67	69	41	[Symbol]	Very Soft, Gray and Black Fat CLAY with organic pockets (CH)
5	■			33		41	16	[Symbol]	Gray and Black Lean CLAY with organics and sand (CL)
	■			39				[Symbol]	
	X	2b/ft ^{1/1/1}		36				[Symbol]	Very Loose, Gray Silty SAND (SM)
10	X							[Symbol]	Bottom at 10 Feet
15									
20									

COMMENTS:

SPLIT SPOON
 SHELBY TUBE