

BORING LOG

BORING NO.: R14-P155 SOUTH HARDY ST.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER

PROJECT NO.: B12-084
DATE DRILLED: 08/15/13
DATE COMPLETED: 08/15/13
WATER LEVEL: 8 ft
WATER LEVEL DATE: 08/15/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Standard Penetration (Blows/Ft.)	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
	X	3b/ft ^{2/2/1}		17				[Symbol]	6" of Concrete
								[Symbol]	Very Loose, Tan Fine SAND (SP)
			0.27	50	70	65	36	[Symbol]	Soft, Gray and Black Fat CLAY with organic pockets and sand (CH)
5				31		29	3	[Symbol]	Gray SILT with sand and clay pockets (CL-ML)
				28				[Symbol]	-- and shell fragments
	▽			29				[Symbol]	-- very loose
10	X	2b/ft ^{1/1/1}		29				[Symbol]	Bottom at 10 Feet
15									
20									

COMMENTS:

SPLIT SPOON
 SHELBY TUBE