



BORING LOG

BORING NO.: R16-P178 ZENO PL.
PROJECT: READ BLVD. IMPROVEMENTS
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: SEE BORING LOCATION PLAN
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: RM
METHOD: AUGER

PROJECT NO.: B12-084
DATE DRILLED: 12/05/13
DATE COMPLETED: 12/05/13
WATER LEVEL: 6 ft
WATER LEVEL DATE: 12/05/13
LOGGED BY: WW
DRILLER: DT

DEPTH (feet)	SAMPLE	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
0 - 0.5	B		8				6" of Concrete	
0.5 - 2.5	B						Tan Fine SAND with trace silt (SP)	
2.5 - 4.5	D	(1), (2)	23		39	19	-- gray and tan with clay pockets and silt	
4.5 - 5.5		0.13	30	89			Very Soft, Gray Lean CLAY with sand pockets and shell fragments (CL)	
5.5 - 7.5			57		44	23	-- with silt pockets	
7.5 - 10.0			45					
10.0 - 20.0							Bottom at 10 Feet	(1) % Passing #200 = 4.1% (2) Atterberg was ran on clay pockets

COMMENTS:

 BAG
 SHELBY TUBE

 DISTURBED SAMPLE