

FIELD BORING LOG

BORING NO.: B-6
PROJECT: READ BOULEVARD WEST
PROJECT LOCATION: NEW ORLEANS, LA
BORING LOCATION: MARQUE DRIVE
BORING ELEVATION: EXISTING GRADE
GEOL/ENGR: MJ / RM
METHOD: CORING / AUGER

PROJECT NO.: B14-099
DATE DRILLED: 04/01/15
DATE COMPLETED: 04/02/15
WATER LEVEL: NE
WATER LEVEL DATE: 04/01/15
LOGGED BY: JC
DRILLER: ARDAMAN

DEPTH (feet)	SAMPLE	Unconfined Compressive Strength (tsf)	Moisture Content (%)	Dry Unit Weight (pcf)	LL	PI	Symbol	MATERIAL CLASSIFICATION
0								6" Concrete
1		0.41	64	60	83	52		Soft, Light Gray and Gray Fat CLAY (CH) -- slickensided
2								
3			68					-- with ferrous nodule staining
4								Gray Lean CLAY (CL)
5			44					
6								Bottom at 5 Feet

COMMENTS: NE: NOT ENCOUNTERED

CORE
 SHELBY TUBE