



City of New Orleans
 Department of Public Works
 Lakeview City Park
 Proposed Drainage Improvements
 New Orleans, Louisiana

LOG OF BORING AND TEST RESULTS

Boring: B-8

Project No: 24192
 Date: 02/04/2021
 Latitude: 30.00808°
 Longitude: -90.09197°

Elevation: -2.0
 Datum: NAVD88
 Water Depth: See Text
 Total Depth: 10.0 ft

Scale in Feet	PP	SPT	SPT R	Symbol	Visual Classification	USC	Sample Number	Depth in Feet	Water Content %	Density		Shear Tests			Atterberg Limits			Other Tests
										Dry pcf	Wet pcf	Type	φ	C psf	LL	PL	PI	
0					Brown sand w/some vegetation	SP	1A	0	6									
					w/clay pockets		1B	1	6									
							1C	2	21									
					Gray clayey sand w/gravel	SC	1D	3	29									
1.00					No recovery		1E	4										
5					Brown fine sand w/clay pockets	SP	2A	5	20									
					Gray fine sand w/clay pockets & large gravel	SP	2B	6	26									
					Gray clay w/wood	CH	2C	7	92									
					Gray peat w/gray clay layers & wood	Pt	2D	8	155									
10	1.00				Gray peat w/organic clay	Pt	2E	9	262									

EUSTIS GINT LIBRARY062019.GLB EE STANDARD BORING LOG_24192.GPJ 6/23/21

NOTES: