



City of New Orleans
 Department of Public Works
 Lakeview City Park
 Proposed Drainage Improvements
 New Orleans, Louisiana

LOG OF BORING AND TEST RESULTS

Boring: B-10

Project No: 24192
 Date: 02/01/2021
 Latitude: 29.99903°
 Longitude: -90.08877°

Elevation: -4.2
 Datum: NAVD88
 Water Depth: See Text
 Total Depth: 10.0 ft

Scale in Feet	PP	SPT	S P L R Symbol	Visual Classification	USC	Sample Number	Depth in Feet	Water Content %	Density		Shear Tests			Atterberg Limits			Other Tests	
									Dry pcf	Wet pcf	Type	φ	C psf	LL	PL	PI		
0				Gray & brown clay w/silty clay lenses, vegetation, roots, & trace of shell fragments	CH	1A	0	23										
				Tan & gray clay w/silt pockets, organic matter, & trace of roots	CH	1B	1	57										
				Gray clay w/silt pockets, trace of roots, & organic matter	CH	1C	2	53										
				Gray clay w/silt pockets, trace of concretions, decayed wood, roots, organic matter, & organic clay pockets	CH	1D	3	92										
0.50				Gray & dark gray clay w/organic clay layers, trace of silt lenses, organic matter, & roots	CH	1E	4	74					109	36	73			
5				Gray fine sand w/clay pockets & trace of roots	SP	PB-2A	5	34										
				Gray fine sand w/trace of silt	SP	PB-2B	6	5										
					SP	PB-2C	7	5										
					SP	PB-2D	8	9										
					SP	PB-2E	9	14										
10																	#200 = 0.50%	

EUSTIS GINT LIBRARY062019.GLB EE STANDARD BORING LOG 24192.GPJ 6/23/21

NOTES: