



City of New Orleans
 Department of Public Works
 Lakeview City Park
 Proposed Drainage Improvements
 New Orleans, Louisiana

LOG OF BORING AND TEST RESULTS

Boring: B-13

Project No: 24192
 Date: 02/02/2021
 Latitude: 29.99425°
 Longitude: -90.09263°

Elevation: -3.6
 Datum: NAVD88
 Water Depth: See Text
 Total Depth: 10.0 ft

Scale in Feet	PP	SPT	S P L R Symbol	Visual Classification	USC	Sample Number	Depth in Feet	Water Content %	Density		Shear Tests			Atterberg Limits			Other Tests
									Dry pcf	Wet pcf	Type	φ	C psf	LL	PL	PI	
0				Dark brown silty clay w/vegetation & fine gravel, trace of roots	CL	1A	0	29									
				Brown & gray clay w/silt pockets, shells, & shell fragments	CH	1B	1	60									
				Tan & gray clay w/trace of silt pockets & roots	CH	1C	2	53									
0.50				Brown clay w/trace of silt pockets	CH	1D	3	49									
				Brown clay w/trace of silt pockets	CH	1E	4	54									
5				w/trace of roots, organic matter, & silt pockets	CH	2A	5	71									
				Gray clay w/trace of roots, organic matter, & wood	CH	2B	6	81									
			w/organic clay layers, wood, vegetation & trace of sand pockets	CH	2C	7	101										
			Gray medium to fine sand w/organic matter & trace of clay	SP	2D	8	154										
10						2E	9	20									-#200 = 0.5%

EUSTIS GINT LIBRARY062019.GLB EE STANDARD BORING LOG 24192.GPJ 6/23/21

NOTES: