



City of New Orleans  
 Department of Public Works  
 Lakeview City Park  
 Proposed Drainage Improvements  
 New Orleans, Louisiana

LOG OF BORING AND TEST RESULTS

**Boring: B-14**

Project No: 24192  
 Date: 02/02/2021  
 Latitude: 29.99514°  
 Longitude: -90.08730°

Elevation: -3.0  
 Datum: NAVD88  
 Water Depth: See Text  
 Total Depth: 10.0 ft

Scale in Feet	PP	SPT	S P L R Symbol	Visual Classification	USC	Sample Number	Depth in Feet	Water Content %	Density		Shear Tests			Atterberg Limits			Other Tests	
									Dry pcf	Wet pcf	Type	φ	C <sub>psf</sub>	LL	PL	PI		
0				Gray clay w/sand, roots, & vegetation	CH	1A	0	54										
				w/trace of silt pockets, roots, & organic matter		1B	1	63										
				Gray & tan clay w/trace of silt pockets & concretions	CH	1C	2	68										
				Gray clay w/few organic matter, silty clay pockets, trace of roots, & wood	CH	1D	3	57										
0.50						1E	4	73										
5					w/few decayed wood & trace of wood		2A	5	98									
					w/trace of decayed wood		2B	6	98									
					w/organic matter		2C	7	114									
					w/few organic matter & roots		2D	8	119									
0.50					No recovery													
10																		

EUSTIS GINT LIBRARY062019.GLB EE STANDARD BORING LOG 24192.GPJ 6/23/21

NOTES: