



City of New Orleans
 Department of Public Works
 Lakeview City Park
 Proposed Drainage Improvements
 New Orleans, Louisiana

LOG OF BORING AND TEST RESULTS

Boring: PS-1

Project No: 24192
 Date: 02/05/2021
 Latitude: 29.99731°
 Longitude: -90.09616°

Water Depth: See Text
 Total Depth: 8.0 ft

| Scale in Feet | PP | SPT | S P L R | Symbol | Visual Classification | USC | Sample Number | Depth in Feet | Water Content % | Density | | Shear Tests | | | Atterberg Limits | | | Other Tests |
|---------------|----|-----|------------------|--------|---------------------------------|-------|---------------|---------------|-----------------|---------|---------|-------------|---|-------|------------------|----|----|--------------|
| | | | | | | | | | | Dry pcf | Wet pcf | Type | φ | C psf | LL | PL | PI | |
| 0 | | | | | 3' Water | Water | NS | 0 | | | | | | | | | | |
| 0.50 | | | | | Brown clay w/wood | CH | B-1 | 3 | 63 | | | | | | | | | |
| 0.50 | | | | | w/peat lenses & wood | | B-2 | 4 | 54 | | | | | | | | | |
| 5 0.50 | | | | | Brown sandy clay | CL | B-3 | 5 | 34 | | | | | | | | | |
| 0.50 | | | | | Brown clay w/concretions | CH | B-4 | 6 | 58 | | | | | | | | | |
| | | | | | Brown fine sand w/trace of clay | SP | PB-5 | 7 | 28 | | | | | | | | | -#200 = 2.9% |

EUSTIS GINT LIBRARY062019.GLB EE STANDARD BORING LOG 24192.GPJ 6/23/21

NOTES: All PS Borings were sampled using a hand piston sampler.