



City of New Orleans  
 Department of Public Works  
 Lakeview City Park  
 Proposed Drainage Improvements  
 New Orleans, Louisiana

**LOG OF BORING AND TEST RESULTS**

**Boring: PS-11**

Project No: 24192  
 Date: 02/23/2021  
 Latitude: 30.00929°  
 Longitude: -90.08806°

Water Depth: See Text  
 Total Depth: 6.0 ft

Scale in Feet	PP	SPT	S P L R	Symbol	Visual Classification	USC	Sample Number	Depth in Feet	Water Content %	Density		Shear Tests			Atterberg Limits			Other Tests
										Dry pcf	Wet pcf	Type	φ	C psf	LL	PL	PI	
0					1' Water		NS	0										
0.00					Dark gray humus w/roots, organic clay, & shell fragments	Pt	1	1	323									
0.00					Dark gray organic clay w/roots & humus pockets	OH	2	2	339									
0.00					w/many roots		3	3	285									
0.00					w/organic matter & trace of humus lenses		4	4	233									
5 0.00					w/roots & trace of humus lenses		5	5	350									

EUSTIS GINT LIBRARY062019.GLB EE STANDARD BORING LOG 24192.GPJ 6/23/21

NOTES: All PS Borings were sampled using a hand piston sampler.