

**LOG OF BORING AND TEST RESULTS**  
 ANDREW P. SANCHEZ (COPELIN-BYRD) COMMUNITY CENTER  
 NORTH ROMAN STREET  
 NEW ORLEANS, LOUISIANA



Ground Elev.: Datum: Gr. Water Depth: See Text Job No.: 20885 Date Drilled: 1/25-26/10 Boring: 1 Refer to "Legends & Notes"

Scale In Feet	PP	SPT	S P L R	Symbol	Visual Classification	USC	Sample Number	Depth In Feet	Water Content Percent	Density		Shear Tests			Atterberg Limits			Other Tests
										Dry	Wet	Type	σ	C	LL	PL	PI	
0					12" Asphalt & Concrete		NS	0-1										
1.00					Medium stiff gray & tan silty clay w/roots	CL	1	2-3	35	85	114	UC	--	967				
0.50					Medium stiff gray & dark gray clay w/decayed wood & organic matter	CH	2	5-6	85	50	93	UC	--	556				
					Medium stiff gray clay w/wood	CH	3	8-9	91									
10					Loose to medium dense gray silty sand w/roots & clay pockets	SM	4	11-12	28	96	122	OB	0	1150				
1.50					Very soft gray sandy clay w/wood	CL	5	14-15	41	81	113	UC	--	204				
					Loose gray sandy silt	ML	6	19-20	31									
20	1.00				Soft gray clay w/silty sand lenses & pockets	CH	7	24-25	52	71	107	UC	--	253				-200 = 77.7%
					Soft gray clay		8	29-30										
30							9	34-35	59	65	103	UC	--	294				
40							10	39-40										
	0.50				Loose gray fine sand w/shell fragments	SP	11	44-45	26									
					Soft gray clay w/fine sand pockets & lenses, & shell fragments	CH	12	49-50	47									
50	0.50																	

Comments: Latitude: 29° 58.000' N  
 Longitude: 90° 00.862' W

**LOG OF BORING AND TEST RESULTS**  
 ANDREW P. SANCHEZ (COPELIN-BYRD) COMMUNITY CENTER  
 NORTH ROMAN STREET  
 NEW ORLEANS, LOUISIANA



Ground Elev.: Datum: Gr. Water Depth: See Text Job No.: 20885 Date Drilled: 1/25-26/10 Boring: 1 Refer to "Legends & Notes"

Scale In Feet	PP	SPT	S P L R	Symbol	Visual Classification	USC	Sample Number	Depth In Feet	Water Content Percent	Density		Shear Tests			Atterberg Limits			Other Tests
										Dry	Wet	Type	σ	C	LL	PL	PI	
50					Loose gray fine sand w/shell fragments	SP												
					Stiff light gray sandy clay	CL	13	54-55	24	99	123	OB	0	230				
60	1.50				Very stiff light gray & tan sandy clay	CL	14	59-60	21									
	2.50				Stiff tan & light gray clay w/concretions	CH	15	64-65	20	708	130	UC	--	2381				
70	2.00				Very stiff tan & gray clay w/silt pockets & concretions	CH	16	69-70	37	84	116	UC	--	1169				
	3.00				Stiff gray clay w/silty sand lenses	CH	17	74-75	35									
80	3.00				Stiff gray silty clay	CL	18	79-80	39	82	114	UC	--	1145				
	1.00				Medium stiff gray clay w/silty sand pockets	CH	19	84-85	28									
90	1.00				Stiff gray clay	CH	20	89-90	26	98	124	UC	--	1153				
	0.50				Stiff gray clay	CH	21	94-95	48									
100	1.50				Stiff gray clay	CH	22	99-100	44	78	112	UC	--	1496				

Comments: Latitude: 29° 58.000' N  
 Longitude: 90° 00.862' W

**LOG OF BORING AND TEST RESULTS**  
 ANDREW P. SANCHEZ (COPELIN-BYRD) COMMUNITY CENTER  
 NORTH ROMAN STREET  
 NEW ORLEANS, LOUISIANA



Ground Elev.: Datum: Gr. Water Depth: See Text Job No.: 20885 Date Drilled: 1/25-26/10 Boring: 1 Refer to "Legends & Notes"

Scale In Feet	PP	SPT	S P L R Symbol	Visual Classification	USC	Sample Number	Depth In Feet	Water Content Percent	Density		Shear Tests			Atterberg Limits			Other Tests	
									Dry	Wet	Type	σ	C	LL	PL	PI		
100				Stiff gray clay	CH													
2.00							23	104-105										
110					w/silty sand lenses		24	109-110	46	76	110	UC	--	1189				
2.00							25	114-115										
120							26	119-120										
2.00						27	124-125	46	76	110	UC	--	1476					
130																		
140																		
150																		

**Comments:** Latitude: 29° 58.000' N  
 Longitude: 90° 00.862' W