

# LOG OF BORING AND TEST RESULTS

CITY OF NEW ORLEANS  
 ORLEANS PARISH CORONER'S OFFICE  
 3031 EARHART BOULEVARD  
 NEW ORLEANS, LOUISIANA



Ground Elev.: Datum: Gr. Water Depth: See Text Job No.: 20785 Date Drilled: 10/20-21/09 Boring: 2 Refer to "Legends & Notes"

Scale In Feet	PP	SPT	S P L R	Symbol	Visual Classification	USC	Sample Number	Depth In Feet	Water Content Percent	Density		Shear Tests			Atterberg Limits			Other Tests
										Dry	Wet	Type	σ	C	LL	PL	PI	
0				[Symbol]	Loose black clayey sand w/gravel & roots	SC	1	0-1										
				[Symbol]	Medium dense gray fine sand w/gravel (fill material)	SP	2	1-2										
				[Symbol]	Loose black & tan clayey sand w/gravel	SC	3	2-3										
				[Symbol]	Loose tan clayey sand w/gravel	SC	4	3-4										
				[Symbol]	Loose black & gray clayey sand w/wood, gravel, brick, & shell fragments	CH	5	4-5										
0.50				[Symbol]	Loose tan clayey sand w/gravel	SC	6	5-6	13									
				[Symbol]	Soft gray clay w/organic matter & brick fragments	CH	7	8-9	83	52	95	UC	--	236				
10				[Symbol]	Very soft gray clay w/silt pockets, decayed wood, & roots	CH	8	11-12	55	68	105	UC	--	193				
0.25				[Symbol]	w/wood, silt pockets, roots, & trace of organic matter	CH	9	14-15										
0.50				[Symbol]	Soft gray clay w/wood	*CL												
				[Symbol]	Soft gray silty clay w/roots													
20				[Symbol]	Medium compact gray sandy silt	ML	10	19-20	37	54	115	UC	--	293				
1.00				[Symbol]			11	24-25	31	92	120	OB	0	930				
30				[Symbol]	w/clay pockets		12	29-30	29									
				[Symbol]	Very soft gray clay w/silt pockets	CH	13	34-35										
				[Symbol]	Soft to medium stiff gray clay w/silt pockets	CH	14	39-40	68	60	100	UC	--	414				
40				[Symbol]	Medium stiff gray clay w/sandy silt pockets	CH	15	42-43	67	60	100	UC	--	548				
0.25				[Symbol]	Very dense gray fine sand	SP	16	43.5-45	23									
0.50				[Symbol]	Very soft gray sandy clay w/shell fragments	CL	17	46.5-48										

90=10"  
 25=4"  
 75=10"  
 30=4"

Comments: Latitude: 29° 57' 02" N  
 Longitude: 90° 05' 14" W

# LOG OF BORING AND TEST RESULTS

CITY OF NEW ORLEANS  
 ORLEANS PARISH CORONER'S OFFICE  
 3031 EARHART BOULEVARD  
 NEW ORLEANS, LOUISIANA



Ground Elev.: Datum: Gr. Water Depth: See Text Job No.: 20785 Date Drilled: 10/20-21/09 Boring: 2 Refer to "Legends & Notes"

Scale In Feet	PP	SPT	S P L R	Symbol	Visual Classification	USC	Sample Number	Depth In Feet	Water Content Percent	Density		Shear Tests			Atterberg Limits			Other Tests
										Dry	Wet	Type	ø	C	LL	PL	PI	
50		WOH	X	[Symbol]	Very soft gray sandy clay w/shell fragments	CL	18	49.5-51	43									
				[Symbol]	Medium stiff gray sandy clay w/shell fragments	CL												
0.75				[Symbol]	Loose gray clayey sand	SC	19	54-55	37	84	115	UC	--	657				
60	0.25			[Symbol]	Very loose gray clayey sand w/shell fragments	SC	20	59-60	27	97	124	OB	0	394				
		12	X	[Symbol]	Medium dense gray fine sand	SP	21	61-62.5	26									
		20	X	[Symbol]	Medium dense gray clayey sand w/shell fragments	SC	22	63.5-65										
		31	X	[Symbol]	Dense gray fine sand w/shell fragments	SP	23	66.5-68	41									
70		9	X	[Symbol]	Loose gray clayey sand w/shell fragments	SC	24	69.5-71	23									
				[Symbol]	Dense gray fine sand w/shell fragments	SP	25	72.5-74	33									
80		41	X	[Symbol]	Soft gray clay w/silt pockets	CH	26	78.5-80	25									
		4	X	[Symbol]	Medium stiff gray clay w/fine sand pockets	CH	27	85.5-87	48									
90	1.00			[Symbol]			28	89-90	55	67	104	UC	--	851				
	1.00			[Symbol]	w/silt pockets & lenses		29	94-95	47									
100	1.00			[Symbol]	w/fine sand pockets & lenses		30	99-100	47	74	109	UC	--	968				

Comments: Latitude: 29° 57' 02" N  
 Longitude: 90° 05' 14" W