



KIPP Elementary School
Columbia Parc
3815 St. Bernard Avenue
New Orleans New Orleans, Louisiana

LOG OF BORING AND TEST RESULTS

Boring: A-5

Project No: 23233
Date: 06/29/2016
Latitude: 29.99648°
Longitude: -90.07733°

Water Depth: See Text
Total Depth: 6.0 ft

Scale in Feet	PP	SPT	S P L R	Symbol	Visual Classification	USC	Sample Number	Depth in Feet	Water Content %	Density		Shear Tests			Atterberg Limits			Other Tests
										Dry pcf	Wet pcf	Type	ϕ	C _{psf}	LL	PL	PI	
0					Loose brown clayey sand w/gravel, roots, & glass	SC	PB-1	0										
					Medium stiff brown & gray sandy clay w/organics, glass, & trace of shell fragments	CL	PB-2	0.5	14						38	14	24	
					Very stiff brown & gray clay w/trace of concretions & organic matter	CH	PB-3	1	74									
					Very stiff gray & brown silty clay w/few silt pockets & trace of roots	CL	PB-4	2	33									
					Stiff gray clay	CH	PB-5	3	31						68	19	49	
5							PB-6	4	26									
							PB-7	5										
10																		
15																		
20																		
25																		

EUSTIS GINT LIBRARY02316 GLB EE STANDARD BORING LOG 23233.GPJ 7/13/16

NOTES: