



KIPP Elementary School
Columbia Parc
3815 St. Bernard Avenue
New Orleans New Orleans, Louisiana

LOG OF BORING AND TEST RESULTS

Boring: A-6

Project No: 23233
Date: 06/29/2016
Latitude: 29.99670°
Longitude: -90.07740°

Water Depth: See Text
Total Depth: 6.0 ft

Scale in Feet	PP	SPT	S P L R	Symbol	Visual Classification	USC	Sample Number	Depth in Feet	Water Content %	Density		Shear Tests			Atterberg Limits			Other Tests
										Dry pcf	Wet pcf	Type	ϕ	C psf	LL	PL	PI	
0					Loose tan fine sand w/gravel	SP	PB-1	0										
					Stiff gray & brown clay w/few fine sand, silt pockets, & few shell fragments	CH	PB-2	0.5	28									
					Stiff gray & dark gray clay w/organics, roots, glass, gravel, & concretions	CH	PB-3	1	32									
					Stiff gray & dark gray clay w/organics, roots, glass, gravel, & concretions	CH	PB-4	2	26				58	17	41			
					Medium stiff gray & dark gray clay w/organics, roots, glass, gravel, & concretions	CH	PB-5	3	48									
					Soft gray clay w/trace of organic matter & gravel		PB-6	4	60				71	22	49			
5					w/trace of concretions & silt pockets w/trace of silty sand pockets & organic matter		PB-7	5	70									
10																		
15																		
20																		
25																		

EUSTIS GINT LIBRARY022316.GLB EE STANDARD BORING LOG 23233.GPJ 7/13/16

NOTES: