

CLIENT Waggonner & Ball Architects PROJECT NAME Newman Early Childhood Center
 PROJECT NUMBER 9255.01 PROJECT LOCATION New Orleans, Louisiana
 DATE STARTED 10/7/13 COMPLETED 10/7/13 GROUND ELEVATION _____ HOLE SIZE 4 inches
 DRILLING CONTRACTOR Triangle Resources, Inc. GROUND WATER LEVELS:
 DRILLING METHOD Machine Auger AT TIME OF DRILLING ---
 LOGGED BY H. Reboul CHECKED BY G. Gillen AT END OF DRILLING --- no free water
 NOTES Boring backfilled with soil cuttings AFTER DRILLING ---

DEPTH (ft)	SYMBOL	SAMPLES	MATERIAL DESCRIPTION	FIELD TEST RESULTS (N-value)	% FINES	COHESION (ksf)	MOISTURE CONTENT %	DRY UNIT WT. (pcf)	PLASTICITY INDEX	△ SPT N VALUE △					
										20	40	60	80		
										PL		MC		LL	
										20	40	60	80	20	40
										○ COHESION (ksf) ○					
										1	2	3	4		
0			Stiff gray and tan silty clay (CL)			1.39	26	102		●					
			- with organics 3' - 5'			1.48	25	107		●					
			- firm below 5'				27			●					
							31			●					

Bottom of borehole at 10.0 feet.

GEOTECH BH PLOTS - GINT STD US LAB.GDT - 10/10/13 21:11 - C:\PROGRAM FILES\GINT\PROJECTS\9255\NEWMAN EARLY CHILDHOOD CENTER.GPJ

