EUSTIS ENGINEERING COMPANY, INC.

## LOG OF BORING AND TEST RESULTS

ANDREW P. SANCHEZ (COPELIN-BYRD) COMMUNITY CENTER NORTH ROMAN STREET NEW ORLEANS, LOUISIANA (Sheet 1 of 1)



Ground	Elev.:	Г	Datum:	Gr. Water Depth: See	e Text	Job No	.: 20885	Date	Drille	<b>d:</b> 1/20	/10		Во	ring:	A-1		Refer to "L	egends & Notes"
Scale	PP	SPT	S P Symbol R		USC	Sample Number	1	Water Content Percent	Density		Shear Tests			Atterberg Limits				Other
In Feet									Dry	Wet	Туре	ø	С	LL	PL	PI		Tests
0 -				Loose tan fine sand (fill) Soft dark gray clay w/trace of silt & wood	SP CH	1 2	0-0.5 1-2	20										
1				Soft gray & tan clay w/silt pockets Soft gray clay	CH CH	3 4	3-4 5-6	51										
1				w/decayed wood		5	7-8	127										
10				w/wood	ļ	6	9-10											
-								•										
1 -				*														
20 —																		
-																		
-																		
30 —																		
-																		
10-																		
40 —																		
-																		i i
									i									
50_																		

Comments: Latitude: 29° 58.022' N

Longitude: 90° 00.894' W