

FCBR_LOG (FINAL) 04.57124004.GPJ FUGRO DATA TEMPLATE 042610.GDT 11/12/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: Eads Avenue COORDINATES: N 30° 00' 48.9" W 90° 03' 00" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH									
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT								
				STRATUM DESCRIPTION																
				ASPHALT , 6-inches																
				BASE COURSE , 8-inches	0.5															
1				FAT CLAY (CH) , firm to stiff, dark gray, with silt pockets and organics - gray below 2.6' - soft below 3.3' - with peat below 4.0'	1.2			65	106	33	73									
2					57			68					▼	□						
3																				
4													◇							
5																				
5.4					5.4															
6																				
7																				
8																				
9																				

NOTES:

- Terms and symbols defined on Plates A-5a and A-5b.

COMPLETION DATE: February 20, 2013
 TOTAL DEPTH: 5.4'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5.4'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/ Cold Patch Asphalt
 LOGGER: C. Brewer



Fugro Consultants, Inc.

Milneburg Street Improvements FEMA

LOG OF BORING NO. EADS-1

New Orleans, Louisiana

Project No.

04.57124004

PLATE A-1