

FCBR_LOG (FINAL) 04.57124004.GPJ FUGRO DATA TEMPLATE 042610.GDT 11/12/13

DEPTH, FT	WATER LEVEL	SYMBOL	SAMPLES	BLOWS PER FOOT	LOCATION: Eads Avenue COORDINATES: N 30° 09' 25.5" W 90° 03' 00.6" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH								
							UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT							
					STRATUM DESCRIPTION															
					ASPHALT, 5.5-inches	0.5														
					BASE COURSE, 4.5-inches - shells and sand	0.8														
1					POORLY GRADED SAND WITH SILT (SP-SM), tan, with clay pockets and shells															
2																				
3																				
4					- with ferrous stains below 3.7'															
5						5.1														
6																				
7																				
8																				
9																				

NOTES:

- Terms and symbols defined on Plates A-5a and A-5b.

COMPLETION DATE: February 20, 2013
 TOTAL DEPTH: 5.1'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5.1'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/ Cold Patch Asphalt
 LOGGER: C. Brewer



Fugro Consultants, Inc.

Milneburg Street Improvements FEMA

LOG OF BORING NO. EADS-3

New Orleans, Louisiana

Project No.

04.57124004

PLATE A-3