

FCBR_LOG (FINAL) 04.57124029.GPJ FUGRO DATA TEMPLATE 042610.GDT 01/31/14

DEPTH, FT	WATER LEVEL	SYMBOL	SAMPLES	BLOWS PER FOOT	STRATUM DESCRIPTION	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH										
							UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT									
					LOCATION: Jay Street COORDINATES: N 30° 01' 35.34" W 90° 03' 24.89" SURFACE EL.: Not Available																	
					CONCRETE, 5.6-inches																	
1				N=16	POORLY GRADED SAND (SP), medium-dense, brown	0.5																
2																						
3				N=13	CLAYEY SAND (SC), medium-dense, brown	2.5		35	23													
4																						
5				N=5	FAT CLAY (CH), dark gray, with shells	4.5				63	19	44										
6						6.0																
7																						
8																						
9																						

NOTES:

- Terms and symbols defined on Plates A-12a and A-12b.

COMPLETION DATE: September 16, 2013
 TOTAL DEPTH: 6'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 6'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/ Cold Patch Asphalt
 LOGGER: By Contractor



Fugro Consultants, Inc.

Lake Terrace and Lake Oaks Street
Improvements FEMA

LOG OF BORING NO. LTO-09

New Orleans, Louisiana

Project No.

04.57124029

PLATE A-9