

# BORING LOG

**BORING NO.:** A-2

**PROJECT:** Lakeview Street Re-constructions

**PROJECT LOCATION:** Lakeview LA

**BORING LOCATION:** See Map

**DATE DRILLED:** 01/29/2013

**WATER LEVEL:** Not Encountered

**GEOL/ENGR:** SE/SA

**PROJECT NO.:** APS-1211-G043

**METHOD:** AUGER

**BORING ELEVATION:** Not Surveyed

**DATE COMPLETED:** 01/29/2013

**WATER LEVEL DATE:**

**DRILLER:** CM

DEPTH (FEET)	SAMPLE	Standard Penetration (Blows/Ft.) or Penetrometer (TSF)	Qu (TSF)	Moisture Content (%)	Dry Unit Weight (PCF)	LL	PI	Symbol	MATERIAL CLASSIFICATION
0 - 5.5									5.5 Inches of Asphalt
5.5 - 12									12 Inches of Base Material
12 - 13.5		4		35		131	84		Soft Black Fat Clay (CH)
13.5 - 14.5			0.18	36	64	89	36		Very Soft Black Elastic Silt (MH)
14.5 - 20				34					

**COMMENTS:**

- Rock Core
- Split Spoon
- Shelby Tube

**Wuerpel Street**

APS Design and Testing, LLC