

FCBR_LOG (FINAL) 04.57124028.GPJ FUGRO DATA TEMPLATE 042610.GDT 12/11/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 57' 48" W 90° 05' 35" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH				
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT			
STRATUM DESCRIPTION											0.5	1.0	1.5	2.0	2.5
				ASPHALT , 5-inches											
1				FAT CLAY (CH) , very soft, gray - with sand and brick to 2'	0.4		74								
2				- with organics below 2'											
3															
4															
5					5.0			204	214	51	163				
6															
7															
8															
9															

NOTES:

- 1. Terms and symbols defined on Plates A-16a and A-16b.

COMPLETION DATE: October 2, 2013
 TOTAL DEPTH: 5'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/ Cold Patch Asphalt
 LOGGER: By Contractor



Fugro Consultants, Inc.

Mid City Street Improvements FEMA

LOG OF BORING NO. MC-42

New Orleans, Louisiana

Project No.

04.57124028

PLATE A-10