

FCBR_LOG (FINAL) 04.57124028.GPJ FUGRO DATA TEMPLATE 042610.GDT 12/11/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 57' 45.3" W 90° 05' 28.4" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH					
						UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT				
				STRATUM DESCRIPTION							0.5	1.0	1.5	2.0	2.5	
				ASPHALT, 5-inches												
				FAT CLAY (CH), soft, gray	0.4											
1																
2				- very soft with organics below 2'												
3																
4																
5					5.0				173	33	140					
6																
7																
8																
9																

NOTES:

- Terms and symbols defined on Plates A-16a and A-16b.

COMPLETION DATE: October 2, 2013
 TOTAL DEPTH: 5'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/ Cold Patch Asphalt
 LOGGER: By Contractor



Fugro Consultants, Inc.

Mid City Street Improvements FEMA

LOG OF BORING NO. MC-43

New Orleans, Louisiana

Project No.

04.57124028

PLATE A-11