

FCBR_LOG (FINAL) 04.57124028.GPJ FUGRO DATA TEMPLATE 042610.GDT 12/11/13

DEPTH, FT	WATER LEVEL	SYMBOL SAMPLES	BLOWS PER FOOT	LOCATION: See Plate 1 COORDINATES: N 29° 57' 45.9" W 90° 05' 58" SURFACE EL.: Not Available	STRATUM DEPTH, FT	CLASSIFICATION					SHEAR STRENGTH									
				STRATUM DESCRIPTION		UNIT DRY WT, PCF	PASSING NO. 200 SIEVE, %	WATER CONTENT, %	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX (PI)	KIPS PER SQ FT								
				ASPHALT, 5.6-inches																
1				FAT CLAY (CH), firm, gray, with organics	0.5			88	100	37	63									
2				- very soft below 2'																
3																				
4																				
5					5.0															
6																				
7																				
8																				
9																				

NOTES:

1. Terms and symbols defined on Plates A-16a and A-16b.

COMPLETION DATE: September 30, 2013
 TOTAL DEPTH: 5'
 CAVED DEPTH: Not Applicable
 DRY AUGER: 0' to 5'
 WET ROTARY: Not Applicable
 BACKFILL: Sand/ Cold Patch Asphalt
 LOGGER: By Contractor



Mid City Street Improvements FEMA

LOG OF BORING NO. MC-50

New Orleans, Louisiana

Project No.

04.57124028

PLATE A-14