

BORING LOG

BORING NO.: C-4
PROJECT: LakeView Street Reconstructions
PROJECT LOCATION: Lakeview LA
BORING LOCATION: N551351.58 E3670579.78
DATE DRILLED: 02/08/2013
WATER LEVEL: Not Encountered
GEOL/ENGR: SE/SA

PROJECT NO.: APS-1211-G043
METHOD: AUGER/WET ROTARY
BORING ELEVATION: Not Surveyed
DATE COMPLETED: 02/08/2013
WATER LEVEL DATE: 02/08/2013
DRILLER: VG

DEPTH (FEET)	SAMPLE	Standard Penetration (Blows/Ft.) or Penetrometer (TSF)	Qu (TSF)	Moisture Content (%)	Dry Unit Weight (PCF)	LL	PI	Symbol	MATERIAL CLASSIFICATION
	X	11		15				[Concrete Symbol]	7 Inches of Concrete
	[Sand Symbol]			61	66	86	43	[Sand Symbol]	Medium Dense Brown and Gray Poorly Graded Sand (SP) - Fill Material Passing #200 Sieve @ 5.1 %
5	[Silt Symbol]		0.28	61	66	86	43	[Silt Symbol]	Soft Black Elastic Silt (MH)
				44					
10									
15									
20									

COMMENTS:

- Rock Core
- Split Spoon
- Shelby Tube

Argonne Boulevard
 APS Design and Testing, LLC